

CarniteX™

Ultra-Pure L-Carnitine



Available in 60 capsules

Discussion

L-carnitine is a conditionally essential micronutrient synthesized from the essential amino acids L-lysine and L-methionine primarily in the human brain, liver, and kidney. Production is a multi-step process and requires adequate niacin, pyridoxine, vitamin C, and iron. Once synthesized, carnitine is transported to other parts of the body, especially cardiac and skeletal muscle where 98% of total body carnitine is confined.*^[1]

Carnitine plays an important role in fat and carbohydrate metabolism and energy production by transporting long-chain fatty acids into the mitochondria where beta-oxidation of the fatty acids produces energy in the form of ATP (adenosine-5'-triphosphate). It transports short- and medium-chain fatty acids out of the mitochondria and assists in the liberation of coenzyme A, further promoting ATP synthesis. Carnitine facilitates oxidation of glucose, branched-chain amino acids, and ketones, and is required for the oxidation of medium-chain fatty acids in cardiac and skeletal muscle, tissues that use fatty acids as their primary fuel.*^[1,2]

Carnitine requirements may vary under certain conditions—for example, overnutrition or aging—and supplementation may support energy and glucose metabolism during these times. Researchers studying carnitine function and requirements utilized supplementation to support energy and substrate metabolism in an animal model. The results suggested that orally administered L-carnitine does indeed support complete fatty acid oxidation, normal mitochondrial fuel metabolism, and glucose tolerance.^[3] According to the Council for Responsible Nutrition, the observed safe level for carnitine supplementation in humans appears to be 2,000 mg per day, although higher doses have been tested and tolerated.*^[4]

Muscle fuel metabolism also depends on carnitine when fatty acids become the primary energy source for muscles during ongoing low to moderate exercise. Increasing total muscle carnitine content in healthy humans may support physiological function by reducing muscle glycolysis and increasing glycogen storage, fat oxidation, and

Clinical Applications

- » Supports Cardiovascular, Neurological, and Endocrine System Health*
- » Supports Fat Utilization and Energy Generation*
- » Supports Post-Exercise Muscle Recovery*
- » Provides 680 mg of Stabilized L-Carnitine per Two-Capsule Dose*

*CarniteX™, a highly stabilized form of the amino acid L-carnitine, supports cardiovascular health, pulmonary function, and muscle recovery from exercise. L-carnitine supports fat utilization and energy production in the mitochondria and is found in abundance in heart and skeletal muscle. CarniteX contains 60% pure L-carnitine and 32% natural L-tartaric acid.**

work output.^[5,6] A randomized, placebo-controlled human subject study suggested that carnitine can improve exercise tolerance and inspiratory muscle strength, as well as reduce lactate production.^[7] A six-month, randomized, double-blind, placebo-controlled study of 50 children suggested that oral supplementation with L-carnitine helped support normal carnitine levels in the body with statistically significant positive effects on support of lung function.*^[8]

The role of carnitine in normal fertility has been investigated with meta-analysis of nine randomized controlled trials suggesting that carnitine may be effective in improving pregnancy rate and sperm kinetics, though further research is warranted.^[9] In some individuals, carnitine supplementation may support cardiovascular health and triglyceride and HDL levels already within the normal range.*^[10,11]

Carnitine participates in cell volume and fluid balance, liver lipid metabolism, and antioxidant activity. Ongoing research suggests that carnitine supplementation may effectively help maintain the health and function of the cardiovascular, nervous, immune, and endocrine systems, as well as the kidneys and the liver.*^[12]

CarniteX™ Supplement Facts

Serving Size: 1 Capsule

	Amount Per Serving	%Daily Value
L-Carnitine (as L-carnitine L-tartrate)	340 mg	**
** Daily Value not established.		

Other Ingredients: HPMC (capsule), stearic acid, magnesium stearate, and silica.**DIRECTIONS:** Take one capsule twice daily between meals, or as directed by your healthcare practitioner.

Consult your healthcare practitioner prior to use. Individuals taking medication should discuss potential interactions with their healthcare practitioner. Do not use if tamper seal is damaged.

DOES NOT CONTAIN: Wheat, gluten, corn, yeast, soy, animal or dairy products, fish, shellfish, peanuts, tree nuts, egg, ingredients derived from genetically modified organisms (GMOs), artificial colors, artificial sweeteners, or artificial preservatives.**STORAGE:** Keep closed in a cool, dry place out of reach of children.**References**

1. Natural Standard Database. www.NaturalStandard.com. Accessed February 24, 2012.
2. Linus Pauling Institute. <http://lpi.oregonstate.edu/infocenter/othernuts/carnitine/>. Accessed February 24, 2012.
3. Noland RC, Koves TR, Seiler SE, et al. Carnitine insufficiency caused by aging and overnutrition compromises mitochondrial performance and metabolic control. *J Biol Chem*. 2009 Aug 21;284(34):22840-52. [PMID: 19553674]
4. Hathcock JN, Shao A. Risk assessment for carnitine. *Regul Toxicol Pharmacol*. 2006 Oct;46(1):23-8. Review. [PMID: 16901595]
5. Stephens FB, Constantin-Teodosiu D, Greenhaff PL. New insights concerning the role of carnitine in the regulation of fuel metabolism in skeletal muscle. *J Physiol*. 2007 Jun 1;581(Pt 2):431-44. Review. [PMID: 17331998]
6. Wall BT, Stephens FB, Constantin-Teodosiu D, et al. Chronic oral ingestion of L-carnitine and carbohydrate increases muscle carnitine content and alters muscle fuel metabolism during exercise in humans. *J Physiol*. 2011 Feb 15;589(Pt 4):963-73. [PMID: 21224234]
7. Borghi-Silva A, Baldissera V, Sampaio LM, et al. L-carnitine as an ergogenic aid for patients with chronic obstructive pulmonary disease submitted to whole-body and respiratory muscle training programs. *Braz J Med Biol Res*. 2006 Apr;39(4):465-74. [PMID: 16612469]
8. Al-Biltagi M, Isa M, Bediwy AS, et al. L-carnitine improves the asthma control in children with moderate persistent asthma. *J Allergy (Cairo)*. 2012;2012:509730. [PMID: 22162707]
9. Zhou X, Liu F, Zhai S. Effect of L-carnitine and/or L-acetyl-carnitine in nutrition treatment for male infertility: a systematic review. *Asia Pac J Clin Nutr*. 2007;16 Suppl 1:383-90. Review. [PMID: 17392136]
10. Vacha GM, Giorcelli G, Siliprandi N, et al. Favorable effects of L-carnitine treatment on hypertriglyceridemia in hemodialysis patients: decisive role of low levels of high-density lipoprotein-cholesterol. *Am J Clin Nutr*. 1983 Oct;38(4):532-40. [PMID: 6624695]
11. Kender BS. Supplemental conditionally essential nutrients in cardiovascular disease therapy. *J Cardiovasc Nurs*. 2006 Jan-Feb;21(1):9-16. Review. [PMID: 16407731]
12. Flanagan JL, Simmons PA, Vehige J, et al. Role of carnitine in disease. *Nutr Metab (Lond)*. 2010 Apr 16;7:30. [PMID: 20398344]

Additional references available upon request

All XYMOGEN® Formulas Meet or Exceed cGMP Quality Standards.

<p>*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.</p>
--